



Compressed air at your service



Join the ABAC advantage

Since 1980, ABAC offers the right mix of flexibility and experience for the industrial, professional and DIY compressed air markets. From state-of-the-art production facilities straight to your business via thousands of distributors in more than 100 countries worldwide, ABAC provides you with plug & play air solutions with a quality label. We deliver trouble free workmates, both piston as well as screw compressors, that are always available and ready to use.





Join today thousands of convinced customers operating millions of ABAC compressors worldwide.



Enjoy the best from both

The new Micron screw compressor is "the opportunity" for the customer who used to have a Piston compressor to join the world of the screw compressor technology. The new ABAC MICRON compressor combines the simplicity and cost competitiveness of the ABAC Piston with durability, technology and energy efficiency of the ABAC Screw compressors.



Our famous user friendliness

Thanks to the simple control and key positioning of components, you can have an overview of key parameters for operation and maintenance items in no time. So you can focus on more important matters.

Dedicated service kits support include all parts needed for maintenance in one single package. ABAC provides you with a simple solution based on the running hours of your compressor. All parts easy at hand which ensures the highest protection of your investment.

100% ABAC DNA inside

Looking back to its roots in the Piston compressor business, ABAC decided to create a small screw compressor that allies the virtues of the Piston with the Screw technology. The result you can find here... The Micron is a simple and easy-to-use screw compressor that offers you an excellent compromise in durability and cost efficiency.




Energy efficiency comes with technology Air Deli

The Micron screw compressors are up to 35% more energy efficient than an equivalent power sized Piston compressor. The Micron is also designed to work continuously if needed, this allows you to get 100% performance, 24 hours a day from you from your equipment without fearing a single fail.

MABAC


MICRON





MICRON Series 2 to 7,5 kW


| Power sizes 2 to 7,5 kW | H | | = | | | I → | | - |
|----------------------------------|-----|-----|-------|-----|-----|-------------------|-------|-----|
| Model | HP | kW | l/min | CFM | Bar | L x W xH (mm) | dB(A) | Kg |
| 200L Receiver Mounted | 3 | 2,2 | 297 | 10 | 8 | 1440 x 680 x 1250 | 72 | 121 |
| | 3 | 2,2 | 220 | 8 | 10 | 1440 x 680 x 1250 | 72 | 121 |
| | 4 | 3 | 350 | 12 | 8 | 1440 x 680 x 1250 | 73 | 127 |
| | 4 | 3 | 280 | 10 | 10 | 1440 x 680 x 1250 | 73 | 127 |
| | 5,5 | 4 | 495 | 17 | 8 | 1440 x 680 x 1250 | 74 | 128 |
| | 5,5 | 4 | 415 | 15 | 10 | 1440 x 680 x 1250 | 74 | 128 |
| | 7,5 | 5,5 | 641 | 23 | 8 | 1440 x 680 x 1250 | 76 | 130 |
| | 7,5 | 5,5 | 557 | 20 | 10 | 1440 x 680 x 1250 | 76 | 130 |
| | 10 | 7,5 | 948 | 33 | 8 | 1440 x 680 x 1250 | 75 | 186 |
| | 10 | 7,5 | 802 | 28 | 10 | 1440 x 680 x 1250 | 75 | 186 |
| 270L Receiver Mounted | 3 | 2,2 | 297 | 10 | 8 | 1550 x 680 x 1280 | 72 | 134 |
| | 3 | 2,2 | 220 | 8 | 10 | 1550 x 680 x 1280 | 72 | 134 |
| | 4 | 3 | 350 | 12 | 8 | 1550 x 680 x 1280 | 73 | 140 |
| | 4 | 3 | 280 | 10 | 10 | 1550 x 680 x 1280 | 73 | 140 |
| | 5,5 | 4 | 495 | 17 | 8 | 1550 x 680 x 1280 | 74 | 141 |
| | 5,5 | 4 | 415 | 15 | 10 | 1550 x 680 x 1280 | 74 | 141 |
| | 7,5 | 5,5 | 641 | 23 | 8 | 1550 x 680 x 1280 | 76 | 143 |
| | 7,5 | 5,5 | 557 | 20 | 10 | 1550 x 680 x 1280 | 76 | 143 |
| | 10 | 7,5 | 948 | 33 | 8 | 1550 x 680 x 1280 | 75 | 199 |
| | 10 | 7,5 | 802 | 28 | 10 | 1550 x 680 x 1280 | 75 | 199 |
| 200L Receiver Mounted + Dryer | 3 | 2,2 | 297 | 10 | 8 | 1440 x 680 x 1250 | 72 | 147 |
| | 3 | 2,2 | 220 | 8 | 10 | 1440 x 680 x 1250 | 72 | 147 |
| | 4 | 3 | 350 | 12 | 8 | 1440 x 680 x 1250 | 73 | 153 |
| | 4 | 3 | 280 | 10 | 10 | 1440 x 680 x 1250 | 73 | 153 |
| | 5,5 | 4 | 495 | 17 | 8 | 1440 x 680 x 1250 | 74 | 154 |
| | 5,5 | 4 | 415 | 15 | 10 | 1440 x 680 x 1250 | 74 | 154 |
| | 7,5 | 5,5 | 641 | 23 | 8 | 1440 x 680 x 1250 | 76 | 156 |
| | 7,5 | 5,5 | 557 | 20 | 10 | 1440 x 680 x 1250 | 76 | 156 |
| | 10 | 7,5 | 948 | 33 | 8 | 1440 x 680 x 1250 | 75 | 213 |
| | 10 | 7,5 | 802 | 28 | 10 | 1440 x 680 x 1250 | 75 | 213 |
| 270L Receiver Mounted + Dryer | 3 | 2,2 | 297 | 10 | 8 | 1550 x 680 x 1280 | 72 | 160 |
| | 3 | 2,2 | 220 | 8 | 10 | 1550 x 680 x 1280 | 72 | 160 |
| | 4 | 3 | 350 | 12 | 8 | 1550 x 680 x 1280 | 73 | 166 |
| | 4 | 3 | 280 | 10 | 10 | 1550 x 680 x 1280 | 73 | 166 |
| | 5,5 | 4 | 495 | 17 | 8 | 1550 x 680 x 1280 | 74 | 167 |
| | 5,5 | 4 | 415 | 15 | 10 | 1550 x 680 x 1280 | 74 | 167 |
| | 7,5 | 5,5 | 641 | 23 | 8 | 1550 x 680 x 1280 | 76 | 169 |
| | 7,5 | 5,5 | 557 | 20 | 10 | 1550 x 680 x 1280 | 76 | 169 |
| | 10 | 7,5 | 948 | 33 | 8 | 1550 x 680 x 1280 | 75 | 226 |
| | 10 | 7,5 | 802 | 28 | 10 | 1550 x 680 x 1280 | 75 | 226 |





Simple installation

The compressor is supplied ready for immediate installation and is fitted with an air receiver. The simple automatic controls and ease of installation means that the Micron can be connected very quickly and deliver high quality compressed air up to 24 hours a day.



Easy maintenance

The are almost no panels to be removed in case of maintenance. All the components are strategicaly placed to faciliate all service and maintenance.




Reduced power consumption

Thanks to the rotary technology, the Micron compressor consumes up to 35% less power in comparison if compared to a traditional piston compressor.







MICRON E Dryer versions

Extra compact, cost efficient and easy installation where moisture free air is required.



Constant pressure

The combined and continous action of the spinning element generates air flow delivery without pulsations, which grants you the stability you need for your production process.



Lower service costs and extended service intervals

The simple and accessible arrangement, along with cool operation keeps service costs to the minimum. The longer service intervals mean less down time, improving efficiency.



New generation air ends

The new generation ari ends guarantee you superior efficiency, durability and the reliability of a manufacturer who assembles more than 25000 of these air ends every year.



| Power sizes 11 to 15 kW | H | | = | | | | | _ |
|----------------------------------|----|----|----------|-----|-----|-------------------|-------|-----|
| Model | HP | kW | l/min | CFM | Bar | L x W xH (mm) | dB(A) | Kg |
| 270L Receiver Mounted | 15 | 11 | 1408 | 50 | 8 | 1550 x 718 x 1322 | 76 | 245 |
| | 15 | 11 | 1265 | 45 | 10 | 1550 x 718 x 1322 | 76 | 245 |
| | 20 | 15 | 1631 | 58 | 8 | 1550 x 718 x 1322 | 78 | 260 |
| | 20 | 15 | 1473 | 52 | 10 | 1550 x 718 x 1322 | 78 | 260 |
| 500L Receiver Mounted | 15 | 11 | 1408 | 50 | 8 | 1935 x 718 x 1453 | 76 | 268 |
| | 15 | 11 | 1265 | 45 | 10 | 1935 x 718 x 1453 | 76 | 268 |
| | 15 | 11 | 1034 | 37 | 13 | 1935 x 718 x 1453 | 76 | 300 |
| | 20 | 15 | 1631 | 58 | 8 | 1935 x 718 x 1453 | 78 | 283 |
| | 20 | 15 | 1473 | 52 | 10 | 1935 x 718 x 1453 | 78 | 283 |
| | 20 | 15 | 1224 | 43 | 13 | 1935 x 718 x 1453 | 78 | 315 |
| 270L Receiver Mounted + Dryer | 15 | 11 | 1408 | 50 | 8 | 1550 x 718 x 1322 | 76 | 245 |
| | 15 | 11 | 1265 | 45 | 10 | 1550 x 718 x 1322 | 76 | 245 |
| | 20 | 15 | 1631 | 58 | 8 | 1550 x 718 x 1322 | 78 | 260 |
| | 20 | 15 | 1473 | 52 | 10 | 1550 x 718 x 1322 | 78 | 260 |
| 500L Receiver Mounted + Dryer | 15 | 11 | 1408 | 50 | 8 | 1935 x 718 x 1453 | 76 | 307 |
| | 15 | 11 | 1265 | 45 | 10 | 1935 x 718 x 1453 | 76 | 307 |
| | 15 | 11 | 1034 | 37 | 13 | 1935 x 718 x 1453 | 76 | 339 |
| | 20 | 15 | 1631 | 58 | 8 | 1935 x 718 x 1453 | 78 | 322 |
| | 20 | 15 | 1473 | 52 | 10 | 1935 x 718 x 1453 | 78 | 322 |
| | 20 | 15 | 1224 | 43 | 13 | 1935 x 718 x 1453 | 78 | 354 |

The world of ABAC









Original parts. Your quality assurance.

Your Authorized Distributor

DOOR

The 'original part' identification confirms that these components passed our strict test criteria. All parts are designed to match the compressor and are approved for use on the specified compressor. They have been thoroughly tested to obtain the highest level of protection, extending the compressors' lifetime and keeping the cost of ownership to an absolute minimum. No compromises are made on reliability. The use of 'original part' certified quality components helps ensure reliable operation and will not impact the validity of your warranty, unlike other parts. Look for your quality assurance.



Compressed air at your service